

Docket No.: 04079/100H629-US2
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Maria-Grazia ASCENZI

Patent No.: 7,124,067

Issued: October 17, 2006

For: SYSTEM AND METHOD FOR MODELING
BONE STRUCTURE

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.323

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted minor errors that should be corrected. A listing of the errors to be corrected is attached.

The minor errors are found in the application as filed by Applicant. Please charge our Credit Card in the amount of \$100.00 covering the fee set forth in 37 CFR 1.20(a).

The errors now sought to be corrected are inadvertent errors, the correction of which does not involve new matter or require reexamination. In particular, these corrections specify the publication sources associated with Figures 1, 2a-2d, 3a, 3b, 6a-6c, 7a, 7b, 9b, 9c, 10, 11, 13-16, 20, and 21 in the application, and do not add new disclosure.

Transmitted herewith is a proposed Certificate of Correction effecting such corrections. Patentee respectfully solicits the granting of the requested Certificate of Correction.


Patent No.: 7,124,067

Docket No.: 04079/100H629-US2

The Commissioner is authorized to charge any deficiency of up to \$300.00 or credit any excess in this fee to Deposit Account No. 04-0100.

Dated: June 1, 2007

Respectfully submitted,

By 

Dianna Goldenson

Registration No.: 52,949

DARBY & DARBY P.C.

P.O. Box 770

Church Street Station

New York, New York 10008-0770

(212) 527-7700

(212) 527-7701 (Fax)

Attorney for Applicant

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 3

PATENT NO. : 7,124,067
APPLICATION NO. : 09/981,684
ISSUE DATE : October 17, 2006
INVENTOR(S) : Maria-Grazia ASCENZI

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Amendments to the Specification:

Please replace the paragraph at col. 4, lines 21-24 with the following amended paragraph:

FIG. 1. A schematic representation of the upper third of the tibia; i.c.s. and o.c.s. stand for inner and outer circumferential systems, respectively. Both compact and cancellous bone are represented (from Bonucci, 2000, Basic composition and structure of bone. In: Mechanical Testing of Bone (An Y. and Draughn R. eds.) pp. 3-21, CRC Press, Boca Raton, Florida).

Please replace the paragraph at col. 4, lines 25-32 with the following amended paragraph:

FIGS. 2(a) and (b). (a) Diagram of a diaphysis sector of cortical long bone. The osteons or haversian system (HA) are located between the outer OL and inner IL circumferential lamellae. The osteonic lamellae are disposed cylindrically around the haversian canal (HC) (from Bouligand et al., (1985) Spatial organization of collagen fibrils in skeletal tissues: analogies with liquid crystals. In: Bairati A, Garrone R (eds.) Biology of invertebrate and lower vertebrate collagens, Plenum Publishing Corp.). (b-d) Cross-sectioned osteons as seen (b) under a light microscope; (c) in a microradiograph; and (d) under the polarizing microscope (from Bonucci, 2000).

Please replace the paragraph at col. 4, lines 33-38 with the following amended paragraph:

FIGS. 3(a) and (b). (a) Section of the body of a lumbar vertebra showing vertical and horizontal trabeculae. The upper and lower surfaces correspond to articular cartilage (from Bonucci, 2000). (b) Section of half of tibia's upper third. The cancellous bone of the metaphysis consists of comparatively thick vertical trabeculae connected by thin trabeculae (from Bonucci, 2000).

MAILING ADDRESS OF SENDER:
Dianna Goldenson, Esq.
DARBY & DARBY P.C.
P.O. Box 770
Church Street Station
New York, New York 10008-0770

Please replace the paragraph at col. 4, lines 49-51 with the following amended paragraph:

FIGS. 6(a)-(c). (a) Types of pure forces;[[.]] (b) Definition of stress on an area on which the force is constant;[[.]] (c) Definition of unidirectional strain for D much smaller than L (from Evans F. G., Mechanical Properties of Bone, Thomas, Springfield, 1973).

Please replace the paragraph at col. 4, lines 52-58 with the following amended paragraph:

FIGS. 7(a) and (b). (a) Tensile and compressive stress distribution during torsion in a material, such as macroscopic bone, which is weaker in tension than in shear;[[.]] (b) Shearing stress on the cross section of a specimen subjected to torsion. The arrows' length indicates the magnitude of the shearing stress, which progressively increases from the center to the periphery of the specimen (from Evans, 1973).

Please replace the paragraph at col. 5, lines 12-23 with the following amended paragraph:

FIGS. 9(a)-(c). (a) The osteonic lamellar model is a laminate, which consists of fiber-reinforced unidirectional laminae. (b) The interstitial lamellar model is a portion of the osteonic lamellar model. The figure shows three thin laminae (lamellae) and a thick lamina (portion of cement line) (from Crolet, J.M., Aoubiza, B., and Meunier, A., Compact bone: numerical simulation of mechanical characteristics, J. Biomechanics, (26):677-687, 1993). (c) On a small laminar element of constant thickness, the principal material axes are labeled 1, 2, and 3. Direction 1 is parallel and direction 2 is perpendicular to the fibers. Direction 3 is the radial direction perpendicular to the page. Circumferential and axial directions are labeled Θ and z. The angle between the circumferential direction and direction 1 is called γ (from Ascenzi, M.-G. (1999) A first estimation of prestress in so-called circularly fibered osteonic lamellae, J. Biomechanics, (32): 935-942).

Please replace the paragraph at col. 5, lines 24-25 with the following amended paragraph:

FIG. 10. Shows a device for subjecting bone to torsional cyclical loading (from Ascenzi, A., Baschieri, P., Benvenuti, A. (1994) The torsional properties of single selected osteons, J. Biomechanics, 27(7): 875-884).

Please replace the paragraph at col. 5, lines 26-31 with the following amended paragraph:

FIG. 11. A schematic diagram of a device for subjecting bone to torsional cyclical loading, where (1) is a rotational axis with jaws; (2) and (3) are hard metal wedges of a pendulum loading system; (4) is a wheel around which a tungsten thread loaded with weights is attached; (5) is the axis of the pendulum; and (6) is a mirror (from Ascenzi, A., Baschieri, P., Benvenuti, A. (1994) The torsional properties of single selected osteons, J. Biomechanics, 27(7): 875-884).

Please replace the paragraph at col. 5, lines 35-37 with the following amended paragraph:

FIG. 13. A diagram that shows that around each osteon sample, a trapezoid was cut with a blade under a stereo microscope (from Ascenzi, M.-G, Ascenzi, A., Burghammer, M., Panzavolta, S., Benvenuti, A. and Bigi, A. (2003) Structural differences between "dark" and "bright" isolated human osteonic lamellae. J. Structural Biology, 141, 22-33).

Please replace the paragraph at col. 5, lines 38-40 with the following amended paragraph:

FIG. 14. A diagram that shows that after isolation, each lamellar sample was carefully straightened to a ribbon-like shape (from Ascenzi, A, Benvenuti, A, Bonucci, E. (1982) The tensile properties of single osteonic lamellae: technical problems and preliminary results. J. Biomechanics, 15(1): 29-37).

Please replace the paragraph at col. 5, line 41 with the following amended paragraph:

FIG. 15. A larger view of the lamella described in FIG. 14 (from Ascenzi, A, Benvenuti, A, Bonucci, E. (1982) The tensile properties of single osteonic lamellae: technical problems and preliminary results. J. Biomechanics, 15(1): 29-37).

Please replace the paragraph at col. 5, line 42 with the following amended paragraph:

FIG. 16. A lamella after tensional testing (from Ascenzi, A, Benvenuti, A, Bonucci, E. (1982) The tensile properties of single osteonic lamellae: technical problems and preliminary results. J. Biomechanics, 15(1): 29-37).

Please replace the paragraph at col. 5, lines 50-52 with the following amended paragraph:

FIGS. 20 (a)-(h). Isolated and flattened bright lamella under the confocal microscope. From border to center, the collagen bundles go from oblique to vertical (from Ascenzi, M.-G, Ascenzi, A., Burghammer, M., Panzavolta, S., Benvenuti, A. and Bigi, A. (2003) Structural differences between "dark" and "bright" isolated human osteonic lamellae. J. Structural Biology, 141, 22-33).

Please replace the paragraph at col. 5, lines 53-55 with the following amended paragraph:

FIGS. 21 (a)-(g). Isolated and flattened extinct lamella under the confocal microscope. From one border to the other, the collagen bundles are parallel to the osteonal axis (from Ascenzi, M.-G, Ascenzi, A., Burghammer, M., Panzavolta, S., Benvenuti, A. and Bigi, A. (2003) Structural differences between "dark" and "bright" isolated human osteonic lamellae. J. Structural Biology, 141, 22-33).